

1. Organización Mundial de la Salud. Obesity: preventing and managing the global epidemic. Report of a WHO consultation on obesity. Report series. Ginebra: OMS, 2000.
2. Sociedad Española para el estudio de la Obesidad. Consenso SEEDO'2000 para la evaluación del sobrepeso y la obesidad y el establecimiento de criterios de intervención terapéutica. Med Clin (Barc) 2000;115:587-97.
3. Organización Mundial de la Salud. Obesity and overweight. Disponible en:
<http://www.who.int/dietphysicalactivity/publications/facts/obesity/en/>
(accedida el 1-04-05).
4. McGinnis JM, Foege WH. Actual causes of death in the United States. JAMA 1993;270:2207-2212.
5. Mokdad AH, Marks JS, Stroup DF, Gerberding JL. Actual causes of death in the United States, 2000. JAMA 2004;291:1238-45.
6. McGinnis JM, Foege WH. The immediate vs the important. JAMA 2004; 291:1263-4.
7. Anstadt G. Modifiable behavioural factors as causes of death. JAMA 2004; 291:2491.
8. Gandjour A. Modifiable behavioural factors as causes of death. JAMA 2004; 291:2491.
9. Barnoya J. Modifiable behavioural factors as causes of death. JAMA 2004; 291:2491.
10. Lutfiyya MN. Modifiable behavioural factors as causes of death. JAMA 2004; 291:2492.
11. Blair SN. Modifiable behavioural factors as causes of death. JAMA 2004; 291:2492.
12. Mokdad AH, Marks JS, Stroup DF, Gerberding JL. Correction: actual causes of death in the United States, 2000. JAMA 2005;293:293-4.
13. Flegal KM, Graubard BI, Williamson DF, Gail MH. Excess deaths associated with underweight, overweight and obesity. JAMA 2005;293:1861-7.
14. Mark DH. Deaths attributable to obesity. JAMA 2005;293:1918-9.
15. Hedley AA, Ogden CL, Johnson CL, Carroll MD, Curtin LR, Flegal KM. Prevalence of overweight and obesity among US children, adolescents and adults, 1999-2002. JAMA 2004;291:2847-50.

16. Flegal KM, Carroll MD, Ogden CL, Johnson CL. Prevalence and trends in obesity among US adults, 1999-2000. *JAMA* 2002;288:1723-7.
17. Mokdad AH, Serdula MK, Dietz WH, Bowman BA, Marks JS, Koplan JP. The spread of the obesity epidemic in the United States, 1991-1998. *JAMA* 1999;282:1519-22.
18. Prentice AM, Jebb SA. Obesity in Britain: gluttony or sloth? *BMJ* 1995;311:437-9.
19. Martínez-González MA, Martínez JA, Hu FB, Gibney MJ, Kearney J. Physical inactivity, sedentary lifestyle and obesity in the European Union. *Int J Obes Relat Metab Disord* 1999;11:1192-201.
20. Varo JJ, Martínez-González MA, Martínez JA. Prevalencia de obesidad en Europa. *An Sist Sanit Navar* 2002;25:103-8.
21. York DA, Rösner S, Caterson I, Chen CM, James WP, Kumanyika S, Martorell R, Vorster HH. AHA Conference Proceedings. Prevention Conference VII. Obesity, a worldwide epidemia related to heart disease and stroke. Group I: Worldwide demographics of obesity. *Circulation* 2004;110:e463-70.
22. US Preventive Task Force. Disponible en: <http://www.ahrq.gov/clinic/cps3dix.htm#metabolic> (accedido el 1-4-05).
23. International Obesity Task Force (IOTF). About obesity. Disponible en : <http://www.iotf.org> (accedido 1-4-05).
24. Organización Mundial de la Salud. The world health report 2002. Reducing risks, promoting healthy life. Ginebra: OMS, 2002.
25. Unión Europea. Comisión Europea. Salud Pública. Diet, physical activity and health-EU Platform for action. Disponible en: http://europa.eu.int/comm/health/ph_determinants/life_style/nutrition/platform/platform_en.htm (accedido 1-4-05).
26. Ministerio de Sanidad y Consumo. The NAOS Strategy Inverting the trend towards obesity. Spanish strategy for nutrition, physical activity and prevention of obesity. Madrid: Publicaciones del Ministerio de Sanidad y Consumo, 2005.
27. Anónimo. The catastrophic failures of public health (editorial). *Lancet* 2004;363:745.
28. Moreno B, Monereo S, Álvarez J. La obesidad en el tercer milenio. 3^a ed. Madrid: Editorial Médica Panamericana, 2004.
29. Bender AE, Brookes LJ. Body weight control. Londres: Churchill Livingstone, 1987.

30. Gallagher D, Visser M, Sepulveda D, Pierson RN, Harris T, Heymsfield SB. How useful is body mass index for comparison of body fatness across age, sex, and ethnic groups? *Am J Epidemiol* 1996;143:228-39.
31. Martínez JA, Moreno B, Martínez-González MA. Prevalence of obesity in Spain. *Obes Rev* 2004;5:171-72.
32. Quiles-Izquierdo J, Vioque J. Prevalencia de la obesidad en la Comunidad Valenciana. *Med Clin (Barc)* 1996;106:529-33.
33. Aranceta J, Pérez-Rodrigo C, Serra-Majem L, Ribas L, Quiles-Izquierdo J, Vioque J, Tur Mari J, Mataix Verdu J, Llopis-Gonzalez J, Tojo R, Foz-Sala M. Prevalencia de la obesidad en España: resultados del estudio SEEDO 2000. Grupo Colaborativo Español para el Estudio de la Obesidad en España. *Med Clin (Barc)* 2003;120:608-12.
34. Aranceta J, Pérez-Rodrigo C, Serra-Majem L, Ribas L, Quiles-Izquierdo J, Vioque J, Foz M. Influence of sociodemographic factors in the prevalence of obesity in Spain. The SEEDO'97 Study. *Eur J Clin Nutr* 2001;55:430-5.
35. Kearney JM, Kearney MJ, McElhone S, Gibeny MJ. Methods used to conduct the pan-European survey on consumer attitudes to physical activity, body weight and health. *Public Health Nutr* 1999;2:79-86.
36. Martínez JA, Kearney JM, Kafatos A, Paquet S, Martínez-González MA. Variables independently associated with self-reported obesity in the European Union. *Public Health Nutr* 1999;125-33.
37. International Obesity Task Force. *Obesity in Europe-3: EU Platform briefing paper*. Bruselas: Publicaciones de la UE, 2005.
38. Eckel RH. Obesity in heart disease. *Circulation* 1997;96:3248-50.
39. Manson JE, Willett WC, Stampfer MJ, Colditz GA, Hunter DJ, Hankinson SE, Hennekens CH, Speizer FE. Body weight and mortality among women. *N Engl J Med* 1995;333:677-85.
40. Garrison RJ, Castelli WP. Weight and 30-year mortality of men in the Framingham Study. *Ann Intern Med* 1985;103:1006-9.
41. Hu FB, Manson JE, Stampfer MJ, Colditz G, Liu S, Solomon CG, Willett WC. Diet, lifestyle, and the risk of type 2 diabetes mellitus in women. *N Engl J Med* 2001;345:790-7.
42. Colditz GA, Willett WC, Rotnitzky A, Manson JE. Weight gain as a risk factor for clinical diabetes in women. *Ann Intern Med* 1995;122:481-6.
43. Despres JA. The insulin resistance-dyslipidemic syndrome of visceral obesity: effect on patients risk. *Obes Res* 1998;6:8S-17S.

44. Giovannucci E, Colditz GA, Stampfer MJ, Willett WC. Physical activity, obesity, and risk of colorectal adenoma in women (United States). *Cancer Causes Control* 1996;7:253-63.
45. Ballard-Barbash R, Swanson CA. Body weight: estimation of risk for breast and endometrial cancers. *Am J Clin Nutr* 1996;63:437S-41S.
46. Englund M, Lohmander LS. Risk factors for symptomatic knee osteoarthritis fifteen to twenty-two years after meniscectomy. *Arthritis Rheum* 2004;9:2811-9.
47. Coggon D, Reading I, Croft P, McLaren M, Barrett D, Cooper C. Knee osteoarthritis and obesity. *Int J Obes* 2001;25:622-7.
48. Felson DT, Zhang Y, Anthony JM, Naimark A, Anderson JJ. Weight loss reduces the risk for symptomatic knee osteoarthritis in women: the Framingham Study. *Ann Intern Med* 1992;116:535-9.
49. Felson DT, Zhang Y, Hannan MT, Naimark A, Weissman B, Aliabadi P, Levy D. Risk factors for incident radiographic knee osteoarthritis in the elderly: the Framingham Study. *Arthritis Rheum* 1997;40:728-33.
50. Gelber AC, Hochberg MC, Mead LA, Wang NY, Wigley FM, Klag MJ. Body mass index in young men and the risk of subsequent knee and hip osteoarthritis. *Am J Med* 1999;107:542-8.
51. Everhart JE. Gallstones. En: Johanson JF. *Gastrointestinal diseases: risk factors and prevention*. Filadelfia: Lippincott-Raven Publishers, 1997:145-72.
52. Manson JE, Stampfer MJ, Hennekens CH, Willett WC. Body weight and longevity. A reassessment. *JAMA* 1987;257:353-58.
53. Troiano RP, Fronquillo EA Jr, Sobal J, Levitsky DA. The relationship between body weight and mortality: a quantitative analysis of combined information from existing studies. *Int J Obes Relat Metab Disord* 1996;20:63-75.
54. Fontaine KR, Redden DT, Wang C, Westfall AO, Allison DB. Years of life lost due to obesity. *JAMA* 2003;289:187-93.
55. Hu FB, Willett WC, Li T, Stampfer MJ, Colditz GA, Manson JE. Adiposity as compared with physical activity in predicting mortality among women. *N Engl J Med* 2004;351:2694-703.
56. Olshansky SJ, Passaro DJ, Hershow RC, Layden J, Carnes BA, Brody J, Hayflick L, Butler RN, Allison DB, Ludwig DS. A potential decline in life expectancy in the United States in the 21st century. *N Engl J Med* 2005;352:1138-45.

57. Delgado-Rodríguez M, Martínez-González MA, Aguinaga I. Actividad física y salud. En: Piédrola Gil, Medicina Preventiva y Salud Pública. Barcelona: Masson, 2001:935-44.
58. Lalonde M. A new perspective on the health of Canadians. Ottawa, Office of the Canadian Minister of National Health and Welfare, 1974.
59. Organización Mundial de la Salud. The World Health Report 2001. Mental Health: new understanding, new hope. Ginebra: OMS, 2001.
60. Quatromoni PA, Copenhafer DL, D'Agostino RB, Millen BE. Dietary patterns predict the development of overweight in women: The Framingham Nutrition Studies. *J Am Diet Assoc* 2002;102:1240-46.
61. Kris-Etherton P, Eckel RH, Howard BV, St Jeor S, Bazzarre TL. Lyon Diet Heart Study. Benefits of a Mediterranean-Style, National Cholesterol Education Program/ American Heart Association Set I Dietary Pattern on Cardiovascular disease. *Circulation* 2001;203:1823-25.
62. De Lorgeril M, Salen P, Martín JL, Monjaud I, Delaye J, Mamelle N. Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction: Final Report of the Lyon Diet Heart Study. *Circulation* 1999;99:779-85.
63. Singh RB, Dubnov G, Niaz MA, Ghosh S, Singh R, Rastogi SS, Manor O, Pella D, Berry EM. Effect of an Indo-Mediterranean diet on progression of coronary artery disease in high risk patients (Indo-Mediterranean Diet Heart Study): a randomized single-blind trial. *Lancet* 2002;360:1455-61.
64. Fernández-Jarne E, Martínez-Losa E, Prado-Santamaría M, Brugarolas-Brufau C, Serrano-Martínez M, Martínez-González MA. Risk of first non-fatal myocardial infarction negatively associated with olive oil consumption: a case-control study in Spain. *Int J Epidemiol* 2002;31:474-80.
65. Panagiotakos DB, Pitsavos C, Crysohoou C, Stefanadis C, Toutouzas P. Risk stratification of coronary heart disease in Greece: Final results from the CARDIO2000 Epidemiological Study. *Prev Med* 2002;35:548-56.
66. Martínez-González MA, Sánchez-Villegas A. The emerging role of Mediterranean diets in cardiovascular epidemiology: monounsaturated fats, olive oil, red wine or the whole pattern? *Eur J Epidemiol*. 2004;19:9-13.
67. Hu FB. The Mediterranean Diet and mortality- olive oil and beyond. *N Engl J Med* 2003;348:2595-6.
68. Serra-Majem LI, Ngo de la Cruz J, Ribas L, Tur JA. Olive oil and the Mediterranean diet: beyond the rhetoric. *Eur J Clin Nutr* 2003;57:2S-7S.
69. Trichopoulou A, Lagiou P. The Mediterranean Diet: Definition, Epidemiological aspects, and current patterns. En: The Mediterranean

- Diet: constituents and health promotion Matalas AL, Zampelas A, Stavrinos V, Wolinsky I. N. York: CRC Press, 2001:53-73.
70. Willett WC, Sacks F, Trichopoulou A, Drescher G, Ferro-Luzzi A, Helsing E, Trichopoulos D. Mediterranean diet pyramid: a cultural model for healthy eating. *Am J Clin Nutr* 1995;61:1402S-6S.
71. Helsing E, Trichopoulou A, eds. The Mediterranean diet and food culture – a symposium. *Eur J Clin Nutr* 1989;43:1S-92S.
72. Serra-Majem L, Helsing E, ed. Changing patterns of fat intake in Mediterranean countries. *Eur J Clin Nutr* 1993;47:1S-100S.
73. Nestle M, ed. Mediterranean diet: science and policy implications. *Am J Clin Nutr* 1995;61:1313S-427S.
74. Serra-Majem LI, Ribas L, Tresserras R, Ngo J, Salleras LI. How could changes in diet explain changes in coronary Heart disease mortality in Spain? The Spanish paradox. *Am J Clin Nutr* 1995;61:1351-57.
75. Supreme Scientific Health Council of Greece. Dietary guidelines for adults in Greece. *Arch Hellen Med* 1999;16:516-24.
76. Trichopoulou A, Costacou T, Bamia C, Trichopoulos D. Adherence to a Mediterranean diet and survival in a Greek population. *N Engl J Med* 2003;348:2599-608.
77. Lasheras C, Fernández S, Patterson AM. Mediterranean diet and age with respect to overall survival in institutionalized, nonsmoking elderly people. *Am J Clin Nutr* 2000;71:987-92.
78. Kouris-Blazos A, Gnardellis C, Walhqvist ML, Trichopoulos D, Lukito W, Trichopoulou A. Are the advantages of the Mediterranean diet transferable to other populations? A cohort study in Melbourne, Australia. *Br J Nutr* 1999;82:57-61.
79. Panagiotakos DB, Pitsavos CH, Chrysohoou C, Skoumas J, Papadimitriou L, Stefanadis C, Toutouzas PK. *J Hypertens* 2003;21:1483-9.
80. Sánchez-Villegas A, Martínez JA, de Irala J, Martínez-González MA. Determinants of the adherence to an “a priori” Mediterranean dietary pattern. *Eur J Nutr* 2002;41:249-57.
81. de Lorgeril M, Renaud S, Mamelle N, Salen E, Martín JL, Monjaud I, Guidollet J, Touboul P, Delaye J. Mediterranean alpha-linolenic acid-rich diet in secondary prevention of coronary heart disease. *Lancet* 1994;343:1454-9. [Erratum, Lancet 1995;345:738].
82. Serra-Majem L, Trichopoulou A, Ngo de la Cruz J, Cervera P, García-Alvárez A, La Vechia C, Lemtouni A, Trichopoulos D. Foreword: Does

- the definition of the Mediterranean diet need to be updated? *Public Health Nutr* 2004;7:927-9.
83. Trichopoulou A. Traditional Mediterranean diet and longevity in the elderly: a review. *Public Health Nutr* 2004;7:943-7.
84. Trichopoulou A, Orfanos P, Norat T, Bueno-de-Mesquita B, Ocké M, Peeters PH et al. Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. *BMJ* 2005;330:991 (Epub 2005 Apr 8).
85. Knoops KTB, de Groot LC, Kromhout D, Perrin AE, Moreiras-Varela O, Menotti A, van Staveren WA. Mediterranean diet, lifestyle factors and 10-year mortality in elderly European men and women. The HALE Project. *JAMA* 2004;292:1433-39.
86. Alonso A, Martínez-González MA. Mediterranean diet, lifestyle factors, and mortality (letter). *JAMA* 2005;293:675.
87. Alonso A, Martinez-Gonzalez MA. Olive oil consumption and reduced incidence of hypertension: the SUN study. *Lipids* 2004;39:1233-8.
88. Ferro-Luzzi A, James WPT, Kafatos A. The high-fat Greek diet: a recipe for all? *Eur J Clin Nutr* 2002;56:796-809.
89. Sánchez-Villegas A, Delgado-Rodríguez M, Martínez-González MA, de Irala-Estévez J. Gender, age, socio-demographic and life-style factors associated with major dietary patterns in the Spanish Project SUN (Seguimiento Universidad de Navarra). *Eur J Clin Nutr* 2003;57:285-92.
90. Slavin JL. Dietary fiber and body weight. *Nutrition* 2005;21:411-8.
91. Liu S, Willett WC, Manson JE, Hu FB, Rosner B, Colditz G. Relation between changes in intakes of dietary fiber and grain products and changes in weight and development of obesity among middle-aged women. *Am J Clin Nutr* 2003;78:920-27.
92. He KI, Hu FB, Colditz GA, Manson JE, Willett WC, Liu S. Changes in intake of fruits and vegetables in relation to risk of obesity and weight gain among middle-aged women. *Int J Obes Relat Metab Disord* 2004;28:1569-74.
93. Trichopoulos D. In defense of the Mediterranean diet: a letter to the editor (letter). *Eur J Clin Nutr* 2002;56:928-9.
94. Schröder H, Marrugat J, Vila J, Vova MI, Elosua R. Adherence to the traditional Mediterranean diet is inversely associated with body mass index and obesity in a Spanish population. *J Nutr* 2004;134:3355-61.
95. Martínez-González MA, Sánchez-Villegas A, de Irala J, Martí A, Martínez JA. Mediterranean diet and stroke: objectives and design of the SUN project. *Nutr Neurosci* 2002;5:65-73.

96. Sánchez-Villegas A, de Irala J, Martínez-González MA, for the research team of the SUN project. Dieta mediterránea y enfermedad cardiovascular: resultados del estudio piloto del proyecto SUN (Seguimiento Universidad de Navarra). *Rev Med Univ Navarra* 2002;46:9-16.
97. Tanasescu M, Leitzmann MF, Rimm EB, Hu FB. Physical activity in relation to cardiovascular disease and total mortality among men with type 2 diabetes. *Circulation* 2003;107:2435-9.
98. Ainsworth BE, Haskell WL, Whitt MC, Irwin ML, Swartz AM, Strath SJ, O'Brien WL, Bassett DR Jr, Schmitz KH, Emplaincourt PO, Jacobs DR Jr, Leon AS. Compendium of physical activities: an update of activity codes and MET intensities. *Med Sci Sports Exerc* 2000;32:498S-504S.
99. Martínez-González MA, López-Fontana C, Varo JJ, Sánchez-Villegas, Martínez JA. Validation of the Spanish version of the physical activity questionnaire used in the Nurses' and Health Professionals' Follow-up Study. *Public Health Nutr* 2005 (en prensa).
100. Martín-Moreno JM, Boyle P, Gorgojo L, Masisonneuve P, Fernández-Rodríguez JC, Salvini S, Willett WC. Development and validation of a food frequency questionnaire in Spain. *Int J Epidemiol* 1993;22:512-19.
101. Martínez-González MA, Fernández-Jarne E, Serrano-Martínez M, Martí A, Martínez JA, Martín-Moreno JM. Mediterranean diet and reduction in the risk of a first acute myocardial infarction: an operational healthy dietary score. *Eur J Nutr* 2002;41:153-60.
102. Martínez-González MA, Fernández-Jarne E, Martínez-Losa E, Prado Santamaría M, Brugarolas-Brufau C, Serrano-Martínez M. Role of fibre and fruit in the Mediterranean diet to protect against myocardial infarction: a case-control study in Spain. *Eur J Clin Nutr* 2002;56:715-22.
103. Fernández-Jarne E, Martínez-Losa E, Serrano-Martínez M, Prado-Santamaría M, Brugarolas-Brufau C, Martínez-González MA. Type of alcoholic beverage and first acute myocardial infarction: a case-control study in a Mediterranean country. *Clin Cardiol* 2003;26:313-8.
104. Hernández-Díaz S, Martínez-Losa E, Fernández-Jarne E, Serrano-Martínez M, Martínez-González MA. Dietary folate and the risk of nonfatal myocardial infarction. *Epidemiology* 2002;13:700-6.
105. Willett WC, Stampfer M. Implications of total energy intake for epidemiologic analyses. En: Willett WC *Nutritional epidemiology*. 2^a ed. N. York: Oxford University Press, 1998:273-301.
106. Gail MH, Benichou J. *Encyclopedia of epidemiologic methods*. N. York: Wiley, 2000.
107. Delgado-Rodríguez M, Llorca J. UD7: Diseños para el estudio de pruebas diagnósticas y factores pronósticos. En: Delgado-Rodríguez M,

- Doménech JM, Llorca J Metodología de la investigación sanitaria. Barcelona: Signo, 2004.
108. Bland JM, Altman DG. Comparing methods of measurement: why plotting difference against standard method is misleading. Lancet 1995;356:1085-7.
109. Llorca J, Delgado-Rodríguez M. Survival analytical techniques were used to assess agreement of a quantitative variable. J Clin Epidemiol 2005;58:314-5.
110. Luiz RR, Costa JL, Kale PL, Werneck GL. Assessment of agreement of a quantitative variable: a new graphical approach. J Clin Epidemiol 2003;56:963-67.
111. Willett WC. Food-frequency methods. En: Willett WC Nutritional epidemiology. 2^a ed. N York: Oxford University Press, 1998:74-100.
112. Hosmer DW, Lemeshow S. Applied logistic regression. 2ed. N. York: Wiley, 2000.
113. Goodman SN. Toward evidence-based medical statistics. 1: the p value fallacy. Ann Intern Med 1999;130:995-1004.
114. Quiles-Izquierdo J, Vioque J. Validez de los datos antropométricos declarados para la determinación de la prevalencia de obesidad. Med Clin (Barc) 1996;106:725-9.
115. Spencer EA, Appelby PN, Davey GK, Key TJ. Validity of self-reported height and weight in 4808 EPIC-Oxford participants. Public Health Nutr 2002;5:561-5.
116. Rowland LM. Self-reported weight and height. Am J Clin Nutr 1990;52:1125-33.
117. Nieto-García FJ, Bush TL, Keyl PM. Body Mass definitions of obesity: Sensitivity and specificity using self-reported weight and height. Epidemiology 1990;1:146-52.
118. Stewart AL. The reliability and validity of self-reported weight and height. J Chron Dis 1982;35:295-309.
119. Pirie P, Jacobs D, Jeffery R, Hannan P. Distortion in self-reported height and weight data. J Am Diet Assoc 1981;78:601:6.
120. Palta M, Prineas RJ, Berman R, Hannan P. Comparison of self-reported and measured height and weight. Am J Epidemiol 1982;115:223-30.
121. Shapiro JR, Anderson DA. The effects of restraint, gender, and body mass index on the accuracy of self-reported weight. Int J Eat Disord 2003;34:177-80.

122. Schulze MB, Manson JE, Ludwig DS, Colditz GA, Stampfer MJ, Willett WC, Hu FB. Sugar-sweetened beverages, weight gain, and incidence of type 2 diabetes in young and middle-aged women. *JAMA* 2004;292:927-34.
123. Ludwig DS, Peterson KE, Gortmaker SL. Relation between consumption of sugar-sweetened drinks and childhood obesity: a prospective, observational analysis. *Lancet* 2001;357:505-8.
124. Tooze JA, Subar AF, Thompson FE, Troiano R, Schatzkin A, Kipnis V. Psychosocial predictors of energy underreporting in a large doubly labeled water study. *Am J Clin Nutr* 2004;79:795-804.
125. de Irala J, Martínez-González MA, Seguí-Gómez M. Epidemiología aplicada. Barcelona: Ariel, 2004.
126. Hernández-Aguado I, Gil de Miguel, Delgado-Rodríguez M, Bolúmar F. Manual de Epidemiología y Salud Pública. Madrid: Editorial Médica Panamericana, 2005.
127. Ludwig DS, Pereira MA, Kroenke CM, Hilner JE, Van Horn L, Slattery ML, Jacobs DR. Dietary fiber, weight gain, and cardiovascular disease risk factors in young adults. *JAMA* 1999;282:1539-46.
128. Pereira MA, Ludwig DS. Dietary fiber and body-weight regulation. *Pediatr Clin North Am* 2001;48:1-9.
129. Roberts SB. High-glycemic index foods, hunger and obesity: is there a connection? *Nutr Rev* 2000;58:163-70.
130. Trichopoulou A, Gnardellis C, Benetou V, Lagiou P, Bamia C, Trichopoulos D. Lipid, protein and carbohydrate intake in relation to body mass index. *Eur J Clin Nutr* 2002;56:37-43.
131. González CA, Pera G, Quirós JR, Lasheras C, Tormo MJ, Rodríguez M, Navarro C, Martínez C, Dorronsoro M, Chirlaque MD, Beguiristain JM, Barricarte A, Amiano P, Agudo A. Types of fat intake and body mass index in a Mediterranean country. *Public Health Nutr* 2003;3:329-36.
132. Martínez-González MA, de Irala J, Faulin Fajardo FJ. Bioestadística amigable. Madrid: Díaz de Santos, 2001.
133. Pereira MA, Kartashov AI, Ebbeling CB, Van Horn L, Slattery ML, Jacobs DR, Ludwig DS. Fast-food habits, weight gain, and insulin resistance (the CARDIA study): 15-year prospective analysis. *Lancet* 2005;365:36-42.
134. Ebbeling CB, Sinclair KB, Pereira MA, García-Lago E, Feldman HA, Ludwig DS. Compensation of energy intake from fast food among overweight and lean adolescents. *JAMA* 2004;291:2828:33.
135. Raben A, Vasilaras TH, Moller AC, Astrup A. Sucrose compared with artificial sweeteners: different effects on ad libitum food intake and body

- weight after 10 wk of supplementation in overweight subjects. Am J Clin Nutr 2002;76:721-9.
136. DiMeglio DP, Mattes RD. Liquid versus solid carbohydrate: effects on food intake and body weight. In J Obes Relat Metab Disord 2000;24:794-800.
137. Mattes RD. Dietary compensation by humans for supplemental energy provided as ethanol or carbohydrate in fluids. Physiol Behav 1996;59:179-87.
138. Bray GA, Nielsen SJ, Popkin BM. Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. Am J Clin Nutr 2004;79:537-43.
139. Elliott SS, Kleim NL, Stern JS, Teff K, Havel PJ. Fructose, weight gain, and the insulin resistance syndrome. Am J Clin Nutr 2002;76:911-22.
140. Harnack L, Stang J, Story M. Soft drink consumption among US children and adolescents: nutritional consequences. J Am Diet Assoc 1999;99:436-41.
141. Popkin BM, Haines PS, Patterson RE. Dietary changes in older Americans 1977-1987. Am J Clin Nutr 1992;55:823-30.
142. Hanson NI, Neumark-Sztainer D, Eisenberg ME, Story M, Wall M. Associations between parental report of the home food environment and adolescent intakes of fruits, vegetables and dairy food. Public Health Nutr 2005;8:77-85.
143. Zemel MB. Role of calcium and dairy products in energy portioning and weight management. Am J Clin Nutr 2004;79:907S-12S.
144. Zemel M, Shi H, Greer B, Dirienzo D, Zemel PC. Regulation of adiposity by dietary calcium. FASEB J 2000;14:1132-8.
145. Pereira MA, Jacobs DR, Van Horn L, Slattery ML, Kartashov AI, Ludwig DS. Dairy consumption, obesity, and the insulin resistance syndrome in young adults. JAMA 2002;287:2081-9.
146. Parikh SJ, Yanovski JA. Calcium intake and adiposity. Am J Clin Nutr 2003;77:281-7.
147. Martinez-Gonzalez MA, Estruch R. Mediterranean diet, antioxidants and cancer: the need for randomized trials. Eur J Cancer Prev 2004;13:327-35.
148. Jacobs DR, Steffen LM. Nutrients, foods, and dietary patterns as exposures in research: a framework for food synergy. Am J Clin Nutr 2003;78:508S-13S.

149. Jacques PF, Tucker KL. Are dietary patterns useful for understanding the role of diet in chronic disease? *Am J Clin Nutr* 2001;73:1-2.
150. McManus K, Antinoro L, Sacks F. A randomized controlled trial of a moderate-fat, low-energy diet compared with a low fat, low-energy diet for weight loss in overweight adults. *Int J Obes Relat Metab Disord* 2001;25:1503-11.
151. Fernández de la Puebla RA, Fuentes F, Pérez-Martínez P, Sánchez E, Paniagua JA, López-Miranda J, Pérez-Jiménez F. A reduction in dietary saturated fat decreases body fat content in overweight, hypercholesterolemic males. *Nutr Metab Cardiovasc Dis* 2003;13:273-277.
152. Flynn G, Colquhoun D. Successful long-term weight loss with a Mediterranean style diet in a primary care medical center. *Asia Pac J Clin Nutr* 2004;13:139S.
153. García-Lorda P, Salas-Salvadó J, Cobo JM. Ingesta de calcio y obesidad. *Med Clin (Barc)* 2005;124:467-75.
154. Skinner JD, Bounds W, Carruth BR, Ziegler P. Longitudinal calcium intake is negatively related to children's body fat indexes. *J Am Diet Assoc* 2003;1626-31.
155. Li YC, Lyle RM, McCabe LD, McCabe GP, Weaver CM, Teegarden D. Dairy calcium is related to changes in body composition during a two-year exercise intervention in young women. *J Am Coll Nutr* 2000;19:754-60.
156. Hu FB, Stampfer MJ, Manson JE, Rimm EB, Colditz GA, Rosner BA, Speizer FE, Hennekens CH, Willett WC. Frequent nut consumption and risk of coronary heart disease in women: prospective cohort study. *BMJ* 1998;317:1341-5.
157. Albert CM, Gaziano JM, Willett WC, Manson JE, Hennekens CH. Nut consumption and decreased risk of sudden cardiac death in the Physicians' Health Study. *Arch Intern Med* 2002;162:1382-7.
158. Kris-Etherton PM, Yo-poth S, Sabate J, Ratcliffe HE, Zhao G, Etherton TD. Nuts and their bioactive constituents effects on serum lipids and other factors affect disease risk. *Am J Clin Nutr* 1999;70:504S-11S.
159. Sabate J. Nut consumption and body weight. *Am J Clin Nutr* 2003;78:647S-50S.
160. Tohill BC, Seymour J, Serdula M, Kettel-Dhan L, Rolls BJ. What epidemiologic studies tell us about the relationship between fruit and vegetable consumption and body weight. *Nutr Rev* 2004;62:365-74.
161. Delgado-Rodríguez M, Llorca J, Bias. *J Epidemiol Community Health* 2004;58:635-41.

162. Alonso A, de la Fuente C, Martín-Arnau AM, de Irala J, Martínez JA, Martínez-González MA. Fruit and vegetable consumption is inversely associated with blood pressure in a Mediterranean population with a high vegetable-fat intake: the Seguimiento Universidad de Navarra (SUN) Study. *Br J Nutr* 2004;92:311-9.
163. Greenland S, Morgenstern H. Confounding in health research. *Ann Rev Public Health* 2001;22:189-212.
164. Austin PC, Brunner LJ. Inflation of the type I error rate when a continuous confounding variable is categorized in logistic regression analyses. *Statist Med* 2004;23:1159-78.
165. Bland JM, Altman DG. Statistics notes: measurement error. *BMJ* 1996;313:744.
166. Michels KB. A renaissance for measurement error. *Int J Epidemiol* 2001;30:421-2.
167. Smith GD. Reflections on the limitations to epidemiology. *J Clin Epidemiol* 2001;54:325-31.
168. von Elm E, Egger M. The scandal of poor epidemiological research. *BMJ* 2004;329:868-9.
169. Pocock SJ, Collier TJ, Dandreo KJ, de Stavola BL, Goldman MB, Kalish LA, Kasten LE, McCormack VA. Issues in the reporting of epidemiological studies: a survey of recent practice. *BMJ* 2004;329:883-8.
170. Sánchez-Villegas A, Martínez JA, Prattala R, Toledo E, Roos G, Martínez-González MA. A systematic review of socioeconomic differences in food habits in Europe: consumption of cheese and milk. *Eur J Clin Nutr* 2003;57:917-29.
171. de Irala J, Groth M, Johansson L, Oltersdorf U, Prättälä R, Martínez-González. A systematic review of socio-economic differences in food habits in Europe: consumption of fruits and vegetables. *Eur J Clin Nutr* 2000;54:706-14.
172. Artazcoz L, Moya C, Vanaclocha H, Pont P. Adult health. *Gac Sanit* 2004;18:56S-68S.
173. Colomer-Revuelta C, Colomer-Revuelta J, Mercer R, Peiró-Pérez R, Rajmil L. Child health. *Gac Sanit* 2004;18:39S-46S.
174. Álvarez-Dardet C, Montahud C, Ruiz MT. The widening social class gap of preventive health behaviours in Spain. *Eur J Public Health* 2001;11:225-6.

175. Varo JJ, Martínez-González MA, de Irala-Estévez J, Kearney J, Gibney MJ, Martínez JA. Distribution and determinants of sedentary lifestyles in the European Union. *Int J Epidemiol* 2003;32:138-46.
176. Vioque J, ,Torres A, Quiles J. Time spent watching television, sleep duration and obesity in adults living in Valencia, Spain. *Int J Obes Relat Metab Disord* 2000;24:1683-8.
177. Michels KB. Nutritional epidemiology-past, present, future. *Int J Epidemiol* 2003;32:486-8.
178. Rose G. La estrategia de la Medicina Preventiva. Barcelona: Masson-Salvat, 1994.
179. Michels KB. A maternalistic approach to prevention. *Int J Epidemiol* 2005;34:3-4.
180. Chopra M, Galbraith S, Sarnton-Hill I. A global response to a global problem: the epidemic of overnutrition. *Bull World Health Organ* 2002;80:952-8.
181. Mercer SI, Green LW, Rosenthal AC, Husten CG, Khan LK, Dietz WH. Possible lessons from the tobacco experience for obesity. *Am J Clin Nutr* 2003;77:1073S-82S.
182. Martínez-González MA, de Irala J. La Medicina Preventiva y los fracasos catastróficos de la Salud Pública: llegamos mal porqué llegamos tarde. *Med Clin (Barc.)* 2005 (en prensa).